

iCombi® Pro.

The WOW effect.





iCombi live



The iCombi Pro. With integrated cooking expertise.

The WOW effect in less than approx. 1 m². For meat, fish, poultry, vegetables and baked goods. For front cooking, à la carte, production. This combi-steamer does it all. Regardless of who is operating it. This is because it contains the experience of more than 1,000 chefs. The experience of manufacturing over a million cooking systems. This makes the iCombi Pro the intelligent combi-steamer with integrated cooking expertise. Which translates to astonishing user benefits. In short: the WOW effect.

An intelligent combination of heat and moisture.

A convection oven and a steamer in a single appliance. Enhanced with integrated cooking intelligence. For a wealth of new possibilities in professional food preparation. The iCombi Pro yields reliably excellent results every single time. While saving time, money and energy in the process. Not to mention replacing a variety of conventional kitchen appliances by covering 95% of all common cooking applications.







eam

Steam & heat

Heat



More

Benefits to you.

Excellent results.

For your customers.

The iCombi Pro specialises in putting great results onto plates Over and over again. Dishes with appetising colour and texture, cooked to uniform perfection from the first rack to the last, with vitamins and minerals preserved.

Easy to use.


For everyone.


Anybody can work with the iCombi Pro. One reason is the large, easy to operate touch display: find the ideal cooking path intuitively, customise display settings, network cooking systems. The result? Minimal orientation time on an appliance that's easy and safe to use.

Clean.

Like new.

Hygiene is an essential part of kitchen work, and another area where iCombi Pro is a reliable partner. Records HACCP data during cooking. Ensures total cleanliness with an automatic cleaning system.





Benefits to you.

Efficient work processes.

For your team.

The iCombi Pro can work overnight, prepare multiple dishes at once, make sure everything is ready at a specified time, and even find the most energy-saving production sequence. That's the process reliability users need to keep costs and quality under control

Saves time.


Your time.

The iCombi Pro can save users a lot of time. Having extra time takes the pressure off the kitchen staff so they can work efficiently and deliver even tastier results. That's why we made the iCombi Pro powerful and easy to operate, with an ultra-fast interim cleaning function.

Your investment.

To keep your mind at ease.

Compared to conventional kitchen technology, the iCombi Pro significantly reduces energy, operation, maintenance, water softening and descaling expenses. Together with a long appliance service life, that adds up to a secure investment.




Monitoring and assistance.

Your intelligent assistant in everyday kitchen work.

An operating concept that sets standards: quality results, quickly and easily. With the large, clear touch display with intuitive icons. With a rotary dial with push function. For optimal support in daily use.







next time.

The integrated core probe's six
measurement points detect
product sizes and quantities, so
every dish reaches the set core
temperature – and the target
results – precisely. The dish is
prepared exactly the same way


Preset cooking processes,
custom or manual. The
programming function
offers a variety of options for
customising work processes.

+ New program


७ □ □ **७**

Breaded items

Baking



Low temperature cooking. hold or Smoking*.
Pasteurisation*. Finishing.
These cooking processes and options can be selected as required. This makes handling simple and ensures food quality.



Create and distribute cooking programs, update cooking system software, document HACCP data and access the cooking system remotely with ConnectedCooking, the digital kitchen management solution.



Intelligent regulation and interactive communication thanks to the iCombi Pro cooking intelligence. Which adjusts cooking processes individually to each dish, adapts to operator's habits and only alerts them when something needs doing.

1 2 3 4 5 ps

09:41 | 24.03.2020


* Accessory required

Precise climate.

Performance affects taste.

Uniform results throughout the cooking cabinet, from the first rack to the last.

- Combination of heat and moisture is automatically adjusted
- Powerful steam generator delivers exceptional results on even the most delicate dishes
- > Powerful fan wheels
- > 300°C maximum cooking cabinet temperature
- > Enormous de-humidification power
- > Optimum cooking cabinet geometry





iDensityControl (1











Economy.

Energy down, quality up.

The iCombi Pro not only cooks intelligently, it also saves intelligently.

- > Requires 18% less energy*
- Digital energy consumption display lets users document, monitor and reduce their energy use
- ConnectedCooking dashboard displays areas of potential savings
- Meets newest Energy Star standards (Jan. 2023)







Benefits:



Let's do the maths together.

What makes a kitchen successful? It has to be worth the investment. Here's how the iCombi Pro does it:

- > Ready for immediate use
- > Replaces numerous kitchen appliances
- > Renders additional investments unnecessary
- > Saves space, working time, ingredients, energy and water
- > Extremely short ROI time

ROI	time
under	1 vear

		under 1 y	under 1 year		
Your profit	Calculation approach per month	Your additional earnings per month	Do the calculation for yourself		
Meat / Fish / Poultry					
An average of 25 %* less raw materials purchased thanks to precise regulation and iCookingSuite.	Cost of goods 7,680 € Cost of goods with iCombi Pro 5,760 €	= 1,920 €			
Energy					
The unique cooking performance, iProductionManager and state of the art control technology consume up to 70 %* less energy.	Consumption 6,300 kWh × 0.25 € per kWh Consumption with iCombi Pro 1,890 kWh × 0.25 € per kWh	= 1,103 €			
Fat					
There is almost no need for fat. Procurement and disposal costs for fat are reduced by up to 95 %*.	Cost of goods 50 € Cost of goods with iCombi Pro 3 €	= 47 €			
Working time					
iProductionManager reduces production time by up to 60 %*. No more routine tasks with iCookingSuite.	60 fewer hours × 25 €	= 1,500 €			
Water softening / descaling					
These costs are eliminated entirely with iCareSystem.	Conventional costs 60 €	= 60€			
	Costs with iCombi Pro 0 €				
Your extra earnings per month		= 4,630 €			
Your extra earnings per year		= 55,560€			

The average hotel restaurant with 200 meals per day with two iCombi Pro 10-1/1.

 $^* \ Compared \ to \ conventional \ kitchen \ technology \ without \ combi-steamers$



Accessories.

So you'll get the results you want.

Robust, versatile and ready for continual use in the professional kitchen. They need RATIONAL original accessories. And they yield great results, too.

- UltraVent Plus
- > Absorbs steam and grease
- > Reduces unpleasant vapours
- 2 Combi-Duo kit Two cooking systems combined in a convenient stack. For more flexibility.



- Oross and stripe grill grate
- 4 VarioSmoker
- Multibaker
- **6** Roasting and baking tray
- Granite-enamelled container
- 3 Sous-vide and pasteurisation kit
- Grill and pizza tray
- CombiFry frying basket



More information


25

24



Technical details.

We've thought of everything.
















- LED lighting with rack signalling
- **2** 6-point core probe
- 3 Integrated hand shower with jet and spray function
- Dynamic air circulation
- **5** 3-pane cooking cabinet door
- 6 Steam generator





Overview of models.

Which model is the right one for you?















The iCombi Pro is available in many different sizes, so you'll always find one to fit your needs. 20 meals or 2,000? Front of house cooking? Kitchen size? Electricity? Gas? Which model is suitable for your kitchen?

All the options, equipment features and accessories at: rational-online.com

	0	P				i ii ii	100000
iCombi Pro	XS 6-2/3	6-1/1	10-1/1	6-2/1	10-2/1	20-1/1	20-2/1
Electric and gas							
Capacity	6 × 2/3 GN	6 × 1/1 GN	10 × 1/1 GN	6 × 2/1 GN	10 × 2/1 GN	20 × 1/1 GN	20 × 2/1 GN
Number of meals per day	20 - 80	30 - 100	80 - 150	60 - 160	150 - 300	150 - 300	300 - 500
Lengthwise loading (GN)	1/2, 2/3, 1/3, 2/8 GN	1/1, 1/2, 2/3, 1/3, 2/8 GN	1/1, 1/2, 2/3, 1/3, 2/8 GN	2/1, 1/1 GN	2/1, 1/1 GN	1/1, 1/2, 2/3, 1/3, 2/8 GN	2/1, 1/1 GN
Width	657 mm	850 mm	850 mm	1,072 mm	1,072 mm	879 mm	1,084 mm
Depth (including door handle)	556 (623) mm	775 (842) mm	775 (842) mm	975 (1,042) mm	975 (1,043) mm	847 (914) mm	1,052 (1,119) mm
Height (including ventilation pipe)	567 (594) mm	754 (804) mm	1,014 (1,064) mm	754 (804) mm	1,014 (1,064) mm	1,817 (1,882) mm	1,817 (1,882) mm
Water inlet	R 3/4"	R 3/4"	R 3/4"	R 3/4""	R 3/4"	R 3/4"	R 3/4"
Drain	DN 40	DN 50	DN 50	DN 50	DN 50	DN 50	DN 50
Water pressure	1.0 - 6.0 bar	1.0 - 6.0 bar	1.0 - 6.0 bar	1.0 - 6.0 bar	1.0 - 6.0 bar	1.0 - 6.0 bar	1.0 - 6.0 bar
Electric							
Weight	67 kg	104 kg	133 kg	139 kg	173 kg	258 kg	329 kg
Connected load	5.7 kW	10.8 kW	18.9 kW	22.4 kW	37.4 kW	37.2 kW	67.9 kW
Fuse	3 × 10 A	3 × 16 A	3 × 32 A	3×35 A	3 × 63 A	3 × 63 A	3 × 100 A
Mains connection	3NAC400 V 50/60Hz	3NAC400 V 50/60Hz	3NAC400 V 50/60Hz	3NAC400 V 50/60Hz	3NAC400 V 50/60Hz	3NAC400 V 50/60Hz	3NAC400 V 50/60Hz
Convection mode output	5.4 kW	10.3 kW	18.0 kW	21.6 kW	36.0 kW	36.0 kW	66.0 kW
Steam mode output	5.4 kW	9.0 kW	18.0 kW	18.0 kW	36.0 kW	36.0 kW	54.0 kW
Gas							
Weight		115 kg	150 kg	155 kg	192 kg	277 kg	362 kg
Electrical rating		0.6 kW	0.9 kW	0.9 kW	1.5 kW	1.3 kW	2.2 kW
Fuse		1 × 16 A	1×16 A	1 × 16 A	1 × 16 A	1 × 16 A	1 × 16 A
Mains connection		1NAC230 V 50/60Hz	1NAC230 V 50/60Hz	1NAC230 V 50/60Hz	1NAC230 V 50/60Hz	1NAC230 V 50/60Hz	1NAC230 V 50/60Hz
Gas connection		3/4" IG	3/4" IG	3/4" IG	3/4" IG	3/4" IG	3/4" IG
Natural gas /LPG G30*							
Max. Nominal thermal load		13.0 kW/13.5 kW	22.0 kW/23.0 kW	28.0 kW/29.5 kW	40.0 kW/42.0 kW	42.0 kW/44.0 kW	80.0 kW/84.0 kW
Convection mode output		13.0 kW/13.5 kW	22.0 kW/23.0 kW	28.0 kW/29.5 kW	40.0 kW/42.0 kW	42.0 kW/44.0 kW	80.0 kW/84.0 kW
Steam mode output		12.0 kW/12.5 kW	20.0 kW/21.0 kW	21.0 kW/22.0 kW	40.0 kW/42.0 kW	38.0 kW/40.0 kW	51.0 kW/53.5 kW

^{*} To guarantee proper operation. the appropriate connection flow pressure must be ensured:

Natural gas H G20 18–25 mbar (0.261–0.363 psi). Natural gas L G25: 20–30 mbar (0.290–0.435 psi). LPG G30 und G31: 25–57.5 mbar (0.363–0.834 psi). iCombi Pro (LM100) and iCombi Classic (LM200) models are NSF certified as can be seen on the NSF listing





































30

iCombi live.

Cook with our experts.

Nothing's more convincing than first-hand knowledge. Experience the RATIONAL cooking systems in use, see the functions for yourself and try out to see how you can work with them. Experience the WOW effect. Live, with no obligation and at a location near you.



Register now +41 71 727 9090 info@rational-online.com

RATIONAL International AG

Heinrich-Wild-Strasse 202 9435 Heerbrugg Switzerland

Tel. +41 71 727 9090 Fax +41 71 727 9080

info@rational-online.com rational-online.com



